Operation Guide 5422

CASIO®

ENGLISH


Your watch may differ somewhat from the one shown in the illustration.

E-1

Before Using the Watch for the First Time

If your watch has a rotary bezel...

You can rotate the bezel to align its ▼ mark with the minute hand. Then you will be able to tell how much time has elapsed since aligning the ▼ mark.



Contents

Before Using the Watch for the First Time
Indicators and Crown Operation
Mode Reference Guide
Timekeeping (Dual Time Mode) E-11 To adjust the time, day, and day of the week setting E-12
Using the Stopwatch E-21 To enter the Stopwatch Mode E-23 To measure elapsed time E-23 To pause at a split time E-23 To measure two finishes E-24


F-2

E-3

Using the Countdown Timer	E-25
To enter the Countdown Timer Mode	E-26
To specify the countdown start time	E-26
To perform a countdown timer operation	E-27
To stop the alarm	E-27
Using the Alarm	E-28
To enter the Alarm Mode	E-29
To change the alarm time setting	E-30
To turn the alarm on or off	E-31
To stop the alarm	E-31
Adjusting Hand Home Positions	E-32
To adjust home positions	F-33

E-4 E-5

Indicators and Crown Operation



Hand Functions

- Hour Hand
 Minute Hand
- 3 Second Hand
- 4 Small Hour Hand
- 5 Small Minute Hand 6 Lower Dial Hand
- 7 Day Indicator

This User's Guide uses numbers shown above to identify watch hands and indicators.

Some water-resistant models (100 meters, 200 meters) have a screw-in crown. When you need to perform a crown operation, rotate it towards you to unscrew it. Then pull the crown out. Avoid applying undue force when pulling. The watch loses its water resistance while the crown is unscrewed. After performing a crown operation, fully screw the crown back in.




E-6 E-

Mode Reference Guide

Your watch has four "modes". The mode you should select depends on what you want to do.
Use (B) to cycle between modes.

To do this:	Enter this mode:	See:
View the current time and date in your Home City Manually adjust the time or date setting	Any Mode	E-11
View the current time in one of 29 other cities around the globe	Dual Time Mode	E-11
Use the stopwatch to measure elapsed time	Stopwatch Mode	E-21
Use the countdown timer	Countdown Timer Mode	E-25
Set an alarm time	Alarm Mode	E-28




E-8 E-9

- *1 After resetting the stopwatch, press (B) (page E-23).
 *2 After resetting the timer to its start time, press (B) (page E-26).
 *You can return to the Dual Time Mode from the Stopwatch Mode or Countdown Timer Mode by holding down (B) for at least two seconds.

Timekeeping (Dual Time Mode)

In addition to viewing the current time (Home Time), day, and day of the week at your location (Home City), you can also use World Time to view the time at To enter the Dual Time Mode, hold down
 at least two seconds.



Hand Functions

- 1 Hour Hand: Home Time hour
- 2 Minute Hand: Home Time minute 3 Second Hand: Home Time second
- 4 Small Hour Hand: World Time hour hand
- 5 Small Minute Hand:
 World Time minute hand
 Lower Dial Hand:
- Current day of the week

 Day Indicator

F-11

To adjust the time, day, and day of the week setting


Important!

F-10

- When setting the time, be sure to set the position of all of the hands. If you change the position of only one hand, the other hands will still be incorrect.
- Pull out the crown to the second click.
 Some of the hands will start to move. Wait until they stop.

2. Rotate the crown to set the 1 Hour Hand and 2 Minute Hand.

Example: To set a time of 10:08 p.m.



- Take care that you set the correct AM or PM time. Watch the day indicator when the hour hand passes 12 o'clock. If the day indicator changes, it means you just passed midnight.

 When setting the minute hand, move it four or five minutes past the desired setting, and then back it up.

3. Use (B) to change the day of the week



- 4. Push the crown in and then pull it out to the first click
- . Some of the hands will start to move. Wait until they stop.



- 5. Rotate the crown away from you to set the 7 Day Indicator
 - The day indicator setting uses a 31-day month. Make adjustments for months of shorter lengths.
 - Avoid changing the day indicator setting between the hours of 10 p.m. and 1 a.m. Otherwise, the day indicator may not change correctly at midnight

Example: TYO (TOKYO)



- 6. Use (A) to move the [3] Second Hand to the location (Home City) where you will normally use the watch.
- The 4 Small Hour Hand and 5 Small Minute Hand will also move along with the 3 Second Hand.
- For information about city codes, see the list on page E-19.

E-14 E-15



- Use (B) to set the (4) Small Hour Hand and (5) Small Minute Hand to the same time as the (1) Hour Hand and (2) Minute Hand.
- I rour Hand and [2] Minute Hand.
 If summer time is being applied to the [1] Hour Hand and [2] Minute Hand, set the [4] Small Hour Hand and [5] Small Minute Hand one hour later.
- Holding down
 moves the hands at high
- 8. Push the crown back in.
- This will start normal timekeeping.

World Time can be used to view the current time in any one of 29 cities (time zones) around the world.


Important!

- Check the points below before using World Time.

 Make sure the crown is pushed all the way in.

 Make sure the current time setting is correct (page E-12).
- 1. In the Dual Time Mode, hold down (A) for about 0.5 seconds.
 - This will cause the 33 Second Hand to move to the currently set World Time City. If you do not perform any operation for two or three seconds, the watch will return to the Dual Time Mode display.

New York Time: 8:08 a.m.



- Example: NYC (NEW YORK) 2. While the 3 Second Hand is indicating a World Time City, use (a) to move it to another position and change the World Time City setting.

 • Each press of (a) advances to the next city.

 • The (a) Small Hour Hand and (b) Small Minute
 - Hand will indicate the current time in the city indicated by the 3 Second Hand.
 See the city list on page E-19.

 - 3. If you do not perform any operation for two or three seconds, the 3 Second Hand will go back to
 - three seconds, the (a) Second Hand will go back indicating seconds.

 At this time the (a) Small Hour Hand and (b) Small Minute Hand will continue to indicate the current time in the currently set World Time City.

City Code	City	UTC Offset/ GMT Differential*
PPG	Pago Pago	-11
HNL	Honolulu	-10
ANC	Anchorage	-9
LAX	Los Angeles	-8
DEN	Denver	-7
CHI	Chicago	-6
NYC	New York	-5
SCL	Santiago	-4
RIO	Rio De Janeiro	-3
RAI	Praia	-1
UTC	-	-
LON	London	0
PAR	Paris	+1
ATH	Athens	+2
JED	Jeddah	+3

Code	City	GMT Differential*
THR	Tehran	+3.5
DXB	Dubai	+4
KBL	Kabul	+4.5
KHI	Karachi	+5
DEL	Delhi	+5.5
DAC	Dhaka	+6
RGN	Yangon	+6.5
BKK	Bangkok	+7
HKG	Hong Kong	+8
TYO	Tokyo	+9
ADL	Adelaide	+9.5
SYD	Sydney	+10
NOU	Noumea	+11
WLG	Wellington	+12

UTC Offset/

F-18 F-19

- * UTC: Universal Time Coordinated; GMT: Greenwich Mean Time
- Based on data as of December 2013.

F-20

- To check the current time in a location that is not among the 29 city names, select a city that is in the same time zone as the one you want to check.

 Example: To check the time in Osaka (Offset: +9), select Tokyo, which has the same offset.
- To check the current time in a city where summer time is in effect, select a city in a time zone with a time that is one hour ahead of the desired city.

 Example: To check the time in NEW YORK (Offset: –5) during summer time, select SANTIAGO (Offset: –4).

Using the Stopwatch

The stopwatch measures elapsed time and split times, and two finishes.



Hand Functions

1 Hour Hand 2 Minute Hand

- (2) Minute Hand

 3 Second Hand:


 Indicates stopwatch elapsed time measurement in 1/2 (0.5)-second units.

 The position of the 3 Second Hand also provides information about the 5 Lower Dial Hand position.*
- Small Hour Hand:
- Indicates the stopwatch hour count.
- 5 Small Minute Hand: Indicates the stopwatch minute count.
- 6 Lower Dial Hand:

Indicates the 1/20 (0.05)-second count.*

F-21

You can determine what is being indicate by the **6** *Lower Dial Hand* by checking the **3** *Second Hand* position.



To enter the Stopwatch Mode

Refer to the Mode Reference Guide (page E-8).

• Entering the Stopwatch Mode will cause the **§** Lower Dial Hand to move to **0**.






To measure two finishes



- The Stopwatch Mode can indicate elapsed time up to 23 hours, 59 minutes, 59.95 seconds. Elapsed time measurement will stop automatically when the maximum time is reached.
- The Silver Dial hand will move for 60 seconds after you start an elapsed time operation. After that, it will stop at 0. When you stop the elapsed time operation, the Silver Dial hand will move to the 1/20-second reading for the current

Using the Countdown Timer

The countdown timer can be configured within a range of one minute to 24 hours. An alarm sounds for about 10 seconds when the timer reaches zero.



- Hour Hand 2 Minute Hand
- 3 Second Hand: Indicates countdown seconds.
- 4 Small Hour Hand: Indicates countdown hours. Small Minute Hand: Indicates countdown minutes.
- 6 Lower Dial Hand: Points to TR.
- All hands move counterclockwise during a countdown.

E-24 E-25

To enter the Countdown Timer Mode

Refer to the Mode Reference Guide (page E-8).

• Entering the Countdown Timer Mode will cause the 6 Lower Dial Hand to move

To specify the countdown start time



- In the Countdown Timer Mode, pull out the crown to the first click.
- 2. Use (A) and (B) to move the (4) Small Hour Hand and (5) Small Minute Hand to the desired start
- Holding down (A) (-) or (B) (+) will move the hands at high speed.
- 3. Push the crown back in.

To perform a countdown timer operation



- Pressing ® while the Countdown Timer is stopped resets the displayed time to the start time specified by you.
 Pulling out the crown while a countdown operation is in progress will stop the ongoing operation so you can change the countdown start time setting.

To stop the alarm

Press any button.

E-26 E-27

Using the Alarm

When the alarm time is reach in the Timekeeping Mode, the watch sounds an alarm for 20 seconds. You can also set an alarm for one of the World Time cities (World Time Alarm).



Hand Functions

2 Minute Hand

Second Hand: Indicates the city for which the alarm time is set (Alarm City).

Small Hour Hand: Indicates the currently set alarm time hour.

5 Small Minute Hand: Indicates the currently set alarm

time minute. 6 Lower Dial Hand: Indicates the current alarm ON/ OFF setting.

Check the points below before using the alarm.
 Make sure the current time setting is correct (page E-12).

To enter the Alarm Mode

Refer to the Mode Reference Guide (page E-8).

• Entering the Alarm Mode will cause the 6 Lower Dial Hand to move to ON or

F-28 F-29

Operation Guide 5422


CASIO

To change the alarm time setting

1. In the Alarm Mode, pull out the crown to the first click.

Example: TYO (Same as Home City)

E-30



- 2. Use (A) to select the Alarm City.

 - Use (A) to select the Alarm City.

 Each press of (A) advances to the next city.

 To set an alarm based on your Home Time (indicated by the (I) Hour Hand and (I) Minute Hand), select your Home City (page E-15) as the Alarm City. To set an alarm based on your World Time (indicated by the (I) Small Hour Hand and (I) Small Minute Hand), select your World Time City (page E-17) as the Alarm City.

 See the city list on page E-19.

 While sumper time is in effect in the desired time.

 - While summer time is in effect in the desired time zone, change to the time zone whose time is one hour ahead.

Example: If you are setting an alarm for the NEW YORK (Offset: -5) time zone and summer time is in effect there, change to the SANTIAGO (Offset: -4) time zone to have the alarm sound at the correct time.

- Use (B) to set the (4) Small Hour Hand and (5) Small Minute Hand to the desired alarm time.
 Holding down (B) will move the hands at high speed.
- 4. Push the crown back in.
- The alarm always works based on the time kept by the watch

To turn the alarm on or off

In the Alarm Mode, press (A) to toggle the alarm between on and off. The **6** Lower Dial Hand will indicate the current ON/OFF setting.

To stop the alarm

Press any button

F-31


Adjusting Hand Home Positions

If the watch is exposed to strong magnetism or impact, it can cause its hands to go out of alignment. Use the procedure in this section to make adjustments if you notice that the hands are out of alignment.

Example: The ③ Second Hand does not point to 12 o'clock when the stopwatch

To adjust home positions

Correct hand position



- 1. In any mode, pull the crown out to the
- 2. Hold down (A) for about five seconds Release (a) after the hands start moving. Wait until the hands stop moving.

- 3. If any of the hands are out of alignment, adjust them
 - Use (A) to select a hand and (B) to adjust it.
 - Holding down
 will move the selected hand at high speed



- 4. Push the crown back in.
 - This exits the adjustment mode and returns to normal timekeeping.
 - Timekeeping stops while the crown is pulled out to the second click. Adjust the current time setting (page E-12) after pushing it back in.

If normal hand movement does not re-start after the battery is replaced.

- Pull the crown out to the second click.
- 2. Press (A) and (B) at the same time . This resets all of the watches settings
- 3. Push the crown back in.
- 4. Set the hands to the current time (page E-12).

E-34 E-35

Troubleshooting

■ I lost track of what mode the watch is in.

Refer to "Mode Reference Guide" (page E-8). To return directly to the Dual Time Mode, hold down (B) for at least two seconds.

■ The indicated World Time is wrong by a number of hours.

The Home City setting (page E-12) or World City Setting (page E-17) is not correct.

■ The indicated World Time is wrong.
Check if the ④ Small Hour Hand and ⑤ Small Minute Hand are set correctly (page E-16).

■ The alarm does not sound when the alarm time is reached. The Alarm City setting (page E-30) is not correct.

Specifications

Accuracy at normal temperature: ±20 seconds a month Timekeeping: Hour, minutes, seconds, day, day of the week World Time: 29 cities (29 time zones) and Coordinated Universal Time

Stopwatch: Measuring capacity: 23:59'59.95" Measuring unit: 1/20 (0.05) seconds Measuring modes: Elapsed time, split time, two finishes

Countdown Timer:
Measuring unit: 1 second
Input range: 1 minute to 24 hours (1-minute increments)
Alarm: World Time Alarm (Alarm settings for a particular city)

Battery: One silver oxide battery (Type: SR927W)

Battery Life: Approximately 2 years under the conditions below: Stopwatch: 1 hour/day Timer: 1 hour/day Alarm: 20 seconds/day

E-37